

OUTDOOR LIGHTING (Price List as on : 1/02/2014)

Picture	Series	Total Wattage	Length (mm)	Width (mm)	Colours	Price	Features
---------	--------	---------------	---------------	--------------	---------	-------	----------

Street Light Series1

EL-SL1-40W	40W	200	120	CW/WW/NW	8210.00	<ul style="list-style-type: none"> • Osram LED • PCB Module Design • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 110 Lumen/Watt
EL-SL1-45W	45W	200	120	CW/WW/NW	8740.00	
EL-SL1-50W	50W	200	120	CW/WW/NW	9260.00	
EL-SL1-60W	60W	220	180	CW/WW/NW	13650.00	
EL-SL1-70W	70W	220	180	CW/WW/NW	14780.00	
EL-SL1-80W	80W	220	180	CW/WW/NW	15340.00	
EL-SL1-90W	90W	220	180	CW/WW/NW	16440.00	
EL-SL1-100W	100W	220	180	CW/WW/NW	17780.00	
EL-SL1-110W	110W	220	180	CW/WW/NW	18830.00	
EL-SL1-120W	120W	300	200	CW/WW/NW	26850.00	
EL-SL1-150W	150W	300	200	CW/WW/NW	29380.00	

Street Light Series2

EL-SL2-10W	10W	130	110	CW/WW/NW	3440.00	<ul style="list-style-type: none"> • Osram LED • PCB Module Design • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 110 Lumen/Watt
EL-SL2-15W	15W	130	110	CW/WW/NW	3930.00	
EL-SL2-20W	20W	130	110	CW/WW/NW	4530.00	
EL-SL2-25W	25W	130	110	CW/WW/NW	5050.00	
EL-SL2-30W	30W	130	110	CW/WW/NW	5890.00	
EL-SL2-40W	40W	200	120	CW/WW/NW	7560.00	
EL-SL2-45W	45W	200	120	CW/WW/NW	8080.00	
EL-SL2-50W	50W	200	120	CW/WW/NW	8610.00	
EL-SL2-60W	60W	220	180	CW/WW/NW	12510.00	
EL-SL2-70W	70W	220	180	CW/WW/NW	13630.00	
EL-SL2-80W	80W	220	180	CW/WW/NW	14200.00	
EL-SL2-90W	90W	220	180	CW/WW/NW	15290.00	
EL-SL2-100W	100W	220	180	CW/WW/NW	16630.00	
EL-SL2-110W	110W	220	180	CW/WW/NW	17690.00	
EL-SL2-120W	120W	240	280	CW/WW/NW	23600.00	
EL-SL2-150W	150W	240	280	CW/WW/NW	26130.00	
EL-SL2-180W	180W	350	300	CW/WW/NW	34950.00	
EL-SL2-200W	200W	350	300	CW/WW/NW	37630.00	

Picture

Series

Total
Wattage

Length
(mm)

Width
(mm)

Colours

Price

Features

Street Light Series3

EL-SL3-40W	40W	200	120	CW/WW/NW	7350.00	<ul style="list-style-type: none"> • Epistar LED • 2yr Warranty • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 90 Lumen/Watt
EL-SL3-45W	45W	200	120	CW/WW/NW	7770.00	
EL-SL3-50W	50W	200	120	CW/WW/NW	8190.00	
EL-SL3-60W	60W	220	180	CW/WW/NW	12320.00	
EL-SL3-70W	70W	220	180	CW/WW/NW	13210.00	
EL-SL3-80W	80W	220	180	CW/WW/NW	13650.00	
EL-SL3-90W	90W	220	180	CW/WW/NW	14510.00	
EL-SL3-100W	100W	220	180	CW/WW/NW	15600.00	
EL-SL3-110W	110W	220	180	CW/WW/NW	16480.00	
EL-SL3-120W	120W	300	200	CW/WW/NW	24130.00	
EL-SL3-150W	150W	300	200	CW/WW/NW	26120.00	

Street Light Series4

EL-SL4-10W	10W	130	110	CW/WW/NW	3050.00	<ul style="list-style-type: none"> • Epistar LED • 2yr Warranty • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 90 Lumen/Watt
EL-SL4-15W	15W	130	110	CW/WW/NW	3390.00	
EL-SL4-20W	20W	130	110	CW/WW/NW	3830.00	
EL-SL4-25W	25W	130	110	CW/WW/NW	4510.00	
EL-SL4-30W	30W	130	110	CW/WW/NW	5220.00	
EL-SL4-40W	40W	200	120	CW/WW/NW	6700.00	
EL-SL4-45W	45W	200	120	CW/WW/NW	7120.00	
EL-SL4-50W	50W	200	120	CW/WW/NW	7530.00	
EL-SL4-60W	60W	220	180	CW/WW/NW	11170.00	
EL-SL4-70W	70W	220	180	CW/WW/NW	12060.00	
EL-SL4-80W	80W	220	180	CW/WW/NW	12510.00	
EL-SL4-90W	90W	220	180	CW/WW/NW	13360.00	
EL-SL4-100W	100W	220	180	CW/WW/NW	14460.00	
EL-SL4-110W	110W	220	180	CW/WW/NW	15330.00	
EL-SL4-120W	120W	240	280	CW/WW/NW	20880.00	
EL-SL4-150W	150W	240	280	CW/WW/NW	22870.00	
EL-SL4-180W	180W	350	300	CW/WW/NW	31080.00	
EL-SL4-200W	200W	350	300	CW/WW/NW	33280.00	

Picture Series Total Length Width Colours Price Features
Wattage (mm) (mm)



Flood Light Series 1

Model	Wattage	Length (mm)	Width (mm)	Colours	Price	Features
EL-FL1-40W-PCB	40W	140	210	CW/WW/NW	9410.00	<ul style="list-style-type: none"> Osram LED PCB Module Design 4 kV Surge Protection IP-67 Protection Solid Aluminium Body Efficient Heat Dissipation 110 Lumen/Watt
EL-FL1-45W-PCB	45W	140	210	CW/WW/NW	9940.00	
EL-FL1-50W-PCB	50W	140	210	CW/WW/NW	10460.00	
EL-FL1-60W-PCB	60W	140	210	CW/WW/NW	11940.00	
EL-FL1-70W-PCB	70W	140	210	CW/WW/NW	13070.00	
EL-FL1-80W-PCB	80W	280	200	CW/WW/NW	15150.00	
EL-FL1-90W-PCB	90W	280	200	CW/WW/NW	16240.00	
EL-FL1-100-PCB	100W	280	200	CW/WW/NW	17580.00	
EL-FL1-110-PCB	110W	280	200	CW/WW/NW	18640.00	
EL-FL1-120W-PCB	120W	280	200	CW/WW/NW	20330.00	




Flood Light Series 2

Model	Wattage	Length (mm)	Width (mm)	Colours	Price	Features
EL-FL2-40W-COB	40W	140	210	CW/WW/NW	9890.00	<ul style="list-style-type: none"> Citizen/Cree COB MeanWell Driver above 50W 4 kV Surge Protection IP-67 Protection High Power Factor Solid Aluminium Body 110 Lumen/Watt
EL-FL2-45W-COB	45W	140	210	CW/WW/NW	11080.00	
EL-FL2-50W-COB	50W	140	210	CW/WW/NW	13910.00	
EL-FL2-60W-COB	60W	140	210	CW/WW/NW	15370.00	
EL-FL2-70W-COB	70W	140	210	CW/WW/NW	17490.00	
EL-FL2-80W-COB	80W	280	200	CW/WW/NW	18340.00	
EL-FL2-90W-COB	90W	280	200	CW/WW/NW	21070.00	
EL-FL2-100-COB	100W	280	200	CW/WW/NW	24470.00	
EL-FL2-110-COB	110W	280	200	CW/WW/NW	25600.00	
EL-FL2-120-COB	120W	280	200	CW/WW/NW	28100.00	



Flood Light Series 3

Model	Wattage	Length (mm)	Width (mm)	Colours	Price	Features
EL-FL3-10W-COB	10W	115	90	CW/WW/NW	2240.00	<ul style="list-style-type: none"> Citizen/Cree COB Meanwell Driver above 50W 4 kV Surge Protection IP-67 Protection High Power Factor Solid Aluminium Body Efficient Heat Dissipation 110 Lumen/Watt
EL-FL3-20W-COB	20W	115	90	CW/WW/NW	3130.00	
EL-FL3-30W-COB	30W	189	140	CW/WW/NW	4760.00	
EL-FL3-40W-COB	40W	225	185	CW/WW/NW	8050.00	
EL-FL3-45W-COB	45W	225	185	CW/WW/NW	9230.00	
EL-FL3-50W-COB	50W	225	185	CW/WW/NW	12060.00	
EL-FL3-60W-COB	60W	240	236	CW/WW/NW	17810.00	
EL-FL3-70W-COB	70W	240	236	CW/WW/NW	19930.00	
EL-FL3-80W-COB	80W	240	236	CW/WW/NW	20400.00	
EL-FL3-90W-COB	90W	240	236	CW/WW/NW	22660.00	
EL-FL3-100-COB	100W	240	236	CW/WW/NW	26060.00	
EL-FL3-120W-COB	120W	290	232	CW/WW/NW	37330.00	
EL-FL3-150W-COB	150W	290	232	CW/WW/NW	41490.00	
EL-FL3-180W-COB	180W	371	291	CW/WW/NW	50870.00	
EL-FL3-200W-COB	200W	371	291	CW/WW/NW	54650.00	



Picture

Series

Total
Wattage

Length
(mm)

Width
(mm)

Colours

Price

Features



Flood Light Series4

EL-FL4-40W-PCB	40W	140	210	CW/WW/NW	8550.00	<ul style="list-style-type: none"> • Epistar LED • 2 yr Warranty • 4 kV Surge Protection • IP-67 Protection • Solid Aluminium Body • Efficient Heat Dissipation • 90 Lumen/Watt
EL-FL4-45W-PCB	45W	140	210	CW/WW/NW	8970.00	
EL-FL4-50W-PCB	50W	140	210	CW/WW/NW	9390.00	
EL-FL4-60W-PCB	60W	140	210	CW/WW/NW	10620.00	
EL-FL4-70W-PCB	70W	140	210	CW/WW/NW	11500.00	
EL-FL4-80W-PCB	80W	280	200	CW/WW/NW	13460.00	
EL-FL4-90W-PCB	90W	280	200	CW/WW/NW	14310.00	
EL-FL4-100-PCB	100W	280	200	CW/WW/NW	15410.00	
EL-FL4-110-PCB	110W	280	200	CW/WW/NW	16280.00	
EL-FL4-120W-PCB	120W	280	200	CW/WW/NW	17610.00	

PCB High Bay Series1

EL-HB1-40W-PCB	40W	225	185	CW/WW/NW	12460.00	<ul style="list-style-type: none"> • Osram LED • PCB Module Design • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 110 Lumen/Watt
EL-HB1-45W-PCB	45W	225	185	CW/WW/NW	12920.00	
EL-HB1-50W-PCB	50W	225	185	CW/WW/NW	13370.00	
EL-HB1-60W-PCB	60W	240	236	CW/WW/NW	16290.00	
EL-HB1-70W-PCB	70W	240	236	CW/WW/NW	17270.00	
EL-HB1-80W-PCB	80W	240	236	CW/WW/NW	17750.00	
EL-HB1-90W-PCB	90W	240	236	CW/WW/NW	18700.00	
EL-HB1-100-PCB	100W	240	236	CW/WW/NW	19880.00	
EL-HB1-110-PCB	110W	240	236	CW/WW/NW	20830.00	
EL-HB1-120W-PCB	120W	290	232	CW/WW/NW	24080.00	
EL-HB1-150W-PCB	150W	290	232	CW/WW/NW	26280.00	
EL-HB1-180W-PCB	180W	371	291	CW/WW/NW	34950.00	
EL-HB1-200W-PCB	200W	371	291	CW/WW/NW	37620.00	



Picture Series Total Length Width Colours Price Features

Wattage (mm) (mm)

CoB High Bay Series2

EL-HB2-40W-COB	40W	225	185	CW/WW/NW	13000.00	<ul style="list-style-type: none"> • Citizen/Cree COB • MeanWell Driver above 50W • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 110 Lumen/Watt
EL-HB2-45W-COB	45W	225	185	CW/WW/NW	13800.00	
EL-HB2-50W-COB	50W	225	185	CW/WW/NW	17203.00	
EL-HB2-60W-COB	60W	240	236	CW/WW/NW	18665.00	
EL-HB2-70W-COB	70W	240	236	CW/WW/NW	20790.00	
EL-HB2-80W-COB	80W	240	236	CW/WW/NW	21260.00	
EL-HB2-90W-COB	90W	240	236	CW/WW/NW	25750.00	
EL-HB2-100-COB	100W	240	236	CW/WW/NW	29140.00	
EL-HB2-110W-COB	110W	240	236	CW/WW/NW	30280.00	
EL-HB2-120W-COB	120W	290	232	CW/WW/NW	34480.00	
EL-HB2-150W-COB	150W	290	232	CW/WW/NW	37680.00	
EL-HB2-180W-COB	180W	371	291	CW/WW/NW	45890.00	

Wall Washer Series

EL-WW1-9W	9W		2FT	CW/WW/NW	4420.00	<ul style="list-style-type: none"> • Osram LED • PCB Module Design • 4 kV Surge Protection • IP-67 Protection • High Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 100 Lumen/Watt
EL-WW1-18W	18W		2FT	CW/WW/NW	5310.00	
EL-WW1-36W	36W		4FT	CW/WW/NW	10620.00	
EL-WW1-48W	48W		4FT	CW/WW/NW	12000.00	
EL-WW1-9W	9W		2FT	RGB	6700.00	
EL-WW1-18W	18W		2FT	RGB	8970.00	
EL-WW1-36W	36W		4FT	RGB	13870.00	
EL-WW1-48W	48W		4FT	RGB	18030.00	

In-Ground Series

EL-IG1-1W	1W	OD100	ID70	CW/WW1/NW	1850.00	<ul style="list-style-type: none"> • Osram LED • PCB Module DesIG1n • 4 kV Surge Protection • IP-68 Protection • HIG1h Power Factor • Solid Aluminium Body • Efficient Heat Dissipation • 100 Lumen/Watt
EL-IG1-3W	3W	OD100	ID70	CW/WW/NW	2160.00	
EL-IG1-6W	6W	OD100	ID70	CW/WW/NW	2710.00	
EL-IG1-9W	9W	OD150	ID90	CW/WW/NW	4340.00	
EL-IG1-12W	12W	OD150	ID90	CW/WW/NW	4480.00	
EL-IG1-15W	15W	OD150	ID90	CW/WW/NW	4890.00	
EL-IG1-1W	1W	OD100	ID70	RGB	2830.00	
EL-IG1-3W	3W	OD100	ID70	RGB	3640.00	
EL-IG1-6W	6W	OD100	ID70	RGB	4940.00	
EL-IG1-9W	9W	OD150	ID90	RGB	7510.00	
EL-IG1-12W	12W	OD150	ID90	RGB	8170.00	
EL-IG1-15W	15W	OD150	ID90	RGB	10160.00	
RGB Controller	-	-	-		1250.00	



Picture	Series	Total Wattage	Length (mm)	Width (mm)	Colours	Price	Features
---------	--------	---------------	-------------	------------	---------	-------	----------



Staircase Lighting Series

EL-SC1-1W	1W				CW/WW/NW	1700.00
EL-SC1-3W	3W				CW/WW/NW	2020.00
EL-SC1-6W	6W				CW/WW/NW	2230.00

Underwater Lighting Series

EL-UW-1W	1W	OD100	ID70	CW/WW/NW	1850.00
EL-UW-3W	3W	OD100	ID70	CW/WW/NW	2160.00
EL-UW-6W	6W	OD100	ID70	CW/WW/NW	2710.00
EL-UW-9W	9W	OD150	ID90	CW/WW/NW	4340.00
EL-UW-12W	12W	OD150	ID90	CW/WW/NW	4480.00
EL-UW-15W	12W	OD150	ID90	CW/WW/NW	4890.00
EL-UW-1W	1W	OD100	ID70	RGB	2830.00
EL-UW-3W	3W	OD100	ID70	RGB	3640.00
EL-UW-6W	6W	OD100	ID70	RGB	4940.00
EL-UW-9W	9W	OD150	ID90	RGB	7510.00
EL-UW-12W	12W	OD150	ID90	RGB	8170.00
EL-UW-15W	15W	OD150	ID90	RGB	10160.00
RGB Controller	-	-	-		1250.00

- Osram LED
- PCB Module Design
- 4 kV Surge Protection
- IP-68 Protection
- High Power Factor
- Solid Aluminium Body
- Efficient Heat Dissipation
- 100 Lumen/Watt



**FOR ORDERS CONTACT:-
UJJWAL MODI - 7303085443**

Terms & Conditions:-

- 1 Above prices are Ex-Vasai, Maharashtra
- 2 Payment Terms - 30% advance, balance before delivery.
- 3 Packing - Included
- 4 Excise - Included
- 5 VAT -Included
- 6 Insurance - Additional
- 7 Warranty- 3 years from Dispatch on complete fixture including driver until and unless explicitly specified
- 8 Delivery - Subject to availability
- 9 MOQ - 10pcs
- 10 Discount will be offered based on Volumes
- 11 We can also customize products based on your Design and Cost Requirements
- 12 Above models, specs subject to change without notice